## In the Claims:

Please amend claims 6, and 16-17 as follows. Please add new claims 19-20.

## 1. (Previously Presented) A compound of formula (I)

$$(R)_n$$
 $(R)_n$ 
 $(R)_n$ 
 $(R)_n$ 
 $(R)_n$ 
 $(R)_n$ 

## wherein

R is halogen, C<sub>1-4</sub> alkyl, cyano, C<sub>1-4</sub> alkoxy, trifluoromethyl or trifluoromethoxy;

R<sub>1</sub> is a 5 or 6 membered heteroaryl group, in which the 5-membered heteroaryl group contains at least one heteroatom selected from oxygen, sulphur or

atoms, or R $_1$  is a 4, 5 or 6 membered heterocyclic group, wherein said 5 or 6 membered heteroaryl or the 4, 5 or 6 membered heterocyclic group may optionally be substituted by one to three substituents, which may be the same or different, selected from (CH2) $_0$ R $_6$ , wherein p is zero or an integer from 1 to

nitrogen and the 6-membered heteroaryl group contains from 1 to 3 nitrogen

4 and R6 is selected from:

halogen,

C<sub>1-4</sub>alkoxy,

C<sub>1-4</sub>alkyl,

C3-7cycloalkyl,

C<sub>1-4</sub> alkyl optionally substituted by halogen, cyano or C<sub>1-4</sub> alkoxy,

hydroxy,

cyano,

nitro,

trifluoromethyl,

carboxy,

NH(C<sub>1-4</sub> alkyl),

N(C<sub>1-4</sub> alkyl)<sub>2</sub>

NH(C3-7 cycloalkyl),

 $N(C_{1-4} \text{ alkyl})(C_{3-7} \text{ cycloalkyl});$   $NH(C_{1-4} \text{ alkyl})CC_{1-4} \text{ alkoxy}),$   $OC(O)NR_7R_8$ ,  $NR_8C(O) R_7 \text{ or}$   $C(O)NR_7R_8;$ 

R2 is hydrogen, or C1-4 alkyl;

 $R_3$  and  $R_4$  independently are hydrogen,  $C_{1-4}$  alkyl or  $R_3$  together with  $R_4$  and the carbon to which they are bonded is  $C_{3-7}$  cycloalkyl;

R<sub>5</sub> is trifluoromethyl,  $S(O)_qC_{1-4}$  alkyl,  $C_{1-4}$  alkyl,  $C_{1-4}$  alkoxy, trifluoromethoxy, halogen or cyano;

R<sub>7</sub> and R<sub>8</sub> independently are hydrogen, C<sub>1-4</sub> alkyl or C<sub>3-7</sub> cycloalkyl;

L is a single or a double bond;

n is an integer from 1 to 3;

m is zero or an integer from 1 to 3:

q is zero or an integer from 1 to 2:

provided that

- a) when L is a double bond, R<sub>1</sub> is not an optionally substituted 5 or 6 membered heteroaryl group, in which the 5-membered heteroaryl group contains at least one heteroatom selected from oxygen, sulphur or nitrogen and the 6membered heteroaryl group contains from 1 to 3 nitrogen atoms;
- b) the group  $\ensuremath{R_1}$  is linked to the carbon atom shown as \* via a carbon atom; and
- c) when the heteroatom contained in the group  $R_1$  is substituted, p is not zero; and pharmaceutically acceptable salts and solvates thereof.
- $\begin{tabular}{ll} 2. & (Previously Presented) & A compound as claimed in claim 1 wherein R is halogen or $C_{1-4}$ alkyl and n is an integer from 1 to 2. \end{tabular}$
- (Previously Presented) A compound as claimed in claim 1 wherein R5 is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is an integer from 1 to 2.

- (Previously Presented) A compound as claimed in claim 1 wherein R<sub>1</sub> is piperidyl, morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl.
- 5. (Previously Presented) A compound as claimed in claim 1 wherein R is halogen or  $C_{1-4}$  alkyl and n is an integer from 1 to 2;  $R_1$  is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein  $R_1$  is optionally substituted by one or two groups selected from halogen,  $C_{1-4}$  alkyl or ethyl $C_{1-4}$  alkoxy;  $R_2$  and  $R_3$  are independently hydrogen or methyl;  $R_4$  is hydrogen, methyl or together with  $R_3$  is cyclopropyl and  $R_5$  is trifluoromethyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- (Currently Amended) A compound <u>according to claim 1</u>, selected from: N-(3,5-Bis-trifluoromethyl-benzyl)-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-yl-propionamide:
- N-(3,5-Dichloro-benzyl)-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-yl-propionamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-ylpropionamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-N-methyl-3-[1-(2-methoxyethyl)-piperidin-4-yl]-propionamide;
- $\label{eq:local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-$
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-{4-fluorophenyl}-N-methyl-3-{1-[2-(methyloxy)ethyl]-4-piperidinyl}propionamideN-{-1-[3,5bis(trifluoromethyl)phenyl]ethyl}-3-{4-fluorophenyl}-N-methyl-3-{4piperidinyl)propanamide;
- N-{1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl}-3-(4-fluorophenyl)-3-(4-piperidinyl)propionamide;
- N-{[3-bromo-4-(methyloxy)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,5-dimethylphenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,4-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;

- N-[(3-fluoro-2-methylphenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide:
- N-{[2-chloro-3-(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-3-(2,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(3,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methyloropionamide;
- $\label{eq:N-special} $$N-\{(3.5-bis(trifluoromethyl)phenyl)$ a-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;$
- 3-(4-chlorophenyl)-N-[(3,5-dibromophenyl)methyl]-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinylidene)propionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinylidene)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl)-3-(4-fluoro-2-methylphenyl)-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl)-3-(4-fluoro-2-methylphenyl)-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-pyrrolidinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(2-morpholinyl)propionamide:

- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-pyridinyl)propionamide;

and enantiomers, diastereiosomers, pharmaceutically acceptable salts and solvates thereof.

- 7. (Previously Presented) A compound selected from
- N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide(diastereoisomer 1);
- N-{(1S)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide (diastereoisomer 2);
- N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide (diastereoisomer 1;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide (enantiomer 2);
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide (diastereoisomer A); and pharmaceutically acceptable salts and solvates thereof.
- 8. (Previously Presented) A process for the preparation of a compound as claimed in claim 1 which comprises reacting an activated derivative of the carboxylic acid of formula (II) wherein R<sub>1</sub> has the meaning previously defined or is a protected group thereof, with amine (III)

wherein  $R_2$  is  $C_{1-4}$  alkyl or a nitrogen protecting group, followed where necessary by removal of any protecting group.

9-11. (Cancelled)

 (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 1 in admixture with one or more pharmaceutically acceptable carriers or excipients.

## (Cancelled)

- 14. (Previously Presented) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2.
- 15. (Previously Presented) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2;  $R_1$  is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein  $R_1$  is optionally substituted by one or two groups selected from fluorine, methyl or ethyl $C_1$ -4 alkoxy;  $R_2$  and  $R_3$  are independently hydrogen or methyl;  $R_4$  is hydrogen, methyl or together with  $R_3$  is cyclopropyl and  $R_5$  is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- 16. (Currently Amended)

  A method for the treatment of a <u>depressive state</u> eendition mediated by a tachykinin and/or soloctive inhibition of seretonin rouptake transporter protein in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- 17. (Currently Amended) The method as claimed in claim 16, wherein said depressive state tachykinin is a Major Depressive Disorder substance P.
- 18. (Previously Presented) The method as claimed in claim 16, wherein said mammal is man.
- 19. (New) A method for the treatment of anxiety in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- 20. (New) A method for the treatment of rheumatoid arthritis in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.